

6090545

6090545

6090545

2 / 26

FIG. 2




FIG. 3





FIG. 4



RECEIVED

NOV 19 1966

U.S. PATENT OFFICE






FIG. 5C




FIG. 6A











FIG. 6B



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
CRAFTSMAN		



5/26/2014
 10:00 AM
 10:00 AM

6/26




FIG. 14




FIG. 15

9/26




FIG. 17

10/26







FIG. 18

DEC 19 1964
U.S. PATENT OFFICE



APPROVED
BY
BRADSHAW

12/26




FIG. 22A




FIG. 22B




FIG. 23A




FIG. 23B

12/26

13/26

FIG. 24




FIG. 25





FIG. 26



13/26

13/26

13/26

FIG. 27




FIG. 28







FIG. 29




15/26

FIG.30A

FIG.30B


16/26

FIG. 31



17/26

FIG. 32

ECL PEAK INTENSITY



ECL PEAK INTENSITY
OF SUPERNATANT

FIG. 33





FIG. 34



19/26

FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40 21/26





FIG. 41



RECEIVED

1960 10 15

10 15 1960

22/26

FIG. 42B





FIG. 42A




FIG. 43

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

23 / 26

FIG. 44B




FIG. 44A




FIG. 44A

24/26

FIG. 45B





FIG. 45A



12/10/79

1000 0 0 000

12/10/79

25/26

FIG. 46B






FIG. 46A



RECEIVED
JUL 10 1960
U.S. GOVERNMENT

FIG. 47



100-100000
 100-100000
 100-100000